


PRELIMINARY P.A.D. FOR TEMPE CENTER FOR THE ARTS & FINAL P.A.D. FOR PHASE I

N.E. Quarter of Sect. 16, Township 1 N., Range 4 E. of the Gila & Salt River Base & Meridian, Maricopa County Arizona

VICINITY MAP



LEGAL DESCRIPTION

That portion of the Northeast Quarter of Section 16, Township 1 North, Range 4 East of the Gila and Salt River Base and Meridian, Maricopa County, Arizona, said portion being more particularly described as follows:

Commencing at the East Quarter corner of said Section 16;
 Thence, N00°00'25"E a distance of 955.16 feet along The East line of said Section 16;
 Thence, S86°52'10"W a distance of 144.24 feet to the POINT OF BEGINNING, said point being on the West Right of Way line of the Southern Pacific Railroad and the North Right of Way line of Rio Salado Parkway;
 Thence, continuing S86°52'10"W a distance of 56.43 feet along said North Right of Way line to the beginning of a tangent curve concave South with a radius of 1497.39 feet;
 Thence, Westerly along the curve of said North Right of Way a length of 384.14 feet through a central angle of 14°41'55";
 Thence, S72°10'15"W a distance of 429.34 feet along said North Right of Way line to the beginning of a tangent curve concave North with a radius of 1844.86 feet;
 Thence, Westerly along the curve of said North Right of Way a length of 820.79 feet through a central angle of 25°29'29";
 Thence, N82°20'16"W a distance of 444.89 feet along said North Right of Way line to the beginning of a tangent curve concave South with a radius of 1497.39 feet;
 Thence, Westerly along the curve of said North Right of Way a length of 449.22 through a central angle of 17°11'20" to the North-South mid-section line of said Section 16;
 Thence, N00°47'48"W a distance of 591.08 feet along said mid-section line;
 Thence, S81°05'06"E a distance of 510.43 feet;
 Thence, S85°11'31"E a distance of 589.18 feet;
 Thence, S78°45'27"E a distance of 339.39 feet;
 Thence, N8°35'52"E a distance of 16.76 feet to the beginning of a non-tangent curve the radius of which bears N13°56'38"E a distance of 242.16 feet;
 Thence, easterly along said curve a length of 96.24 feet through a central angle of 22°46'15";
 Thence, N81°10'23"E a distance of 165.95 feet to the beginning of a non-tangent curve the radius of which bears S1°39'19"W a distance of 248.99 feet;
 Thence, easterly along said curve a length of 105.34 feet through a central angle of 24°28'13" to the beginning of a reverse curve, the radius of which bears N26°03'32"E a distance of 405.53 feet;
 Thence, easterly along said reverse curve a length of 143.74 feet through a central angle of 20°18'31";
 Thence, S84°12'59"E a distance of 25.00 feet to the beginning of a tangent curve concave North with a radius of 8633.47 feet;
 Thence, easterly along said curve a length of 370.06 feet through a central angle of 3°11'47";
 Thence, S87°24'46"E a distance of 86.22 feet;
 Thence, N88°37'45"E a distance of 54.44 feet to the beginning of a tangent curve concave North with a radius of 140.69 feet;
 Thence, along said curve a length of 71.25 feet through a central angle of 29°00'52" to the West Right of Way line of the Southern Pacific Railroad;
 Thence, S5°04'00"E a distance of 132.73 feet along said Railroad Right of Way to the POINT OF BEGINNING.

ARCHITECTON + Barton Myers Associates, Inc.

398 S. MILL AVE., STE. 301
 TEMPE, ARIZONA 85283
 480 894.4637 T
 480 894.4636 F
 www.architekton.com

1025 WESTSOOD BOULEVARD
 LOS ANGELES, CALIFORNIA 90024
 310 208.2227 T
 310 208.2207 F
 bmyerinc@aol.com

CERTIFICATION

THIS IS TO CERTIFY THAT THE BOUNDARY AND LEGAL DESCRIPTION SHOWN HEREON WERE BASED ON A SURVEY PERFORMED UNDER MY DIRECTION DURING THE MONTH OF JULY, 2001. TO THE BEST OF MY KNOWLEDGE THIS BOUNDARY AND LEGAL DESCRIPTION IS TRUE AND COMPLETE.



EDWIN M. BALLIET, R.L.S.
 REGISTRATION NO. 31587 (AZ)

SITE DATA

DESCRIPTION	
OWNER:	CITY OF TEMPE
APPLICANT:	JOL ULICH, DEPUTY COMMUNITY SERVICES MANAGER
ARCHITECT:	JOSEPH SALVATORE, ARCHITEKTON
ENGINEERING:	ARCHITEKTON & BARTON MYERS ASSOCIATES
	ARUP (STRUCTURAL, MECHANICAL, ELECTRICAL & PLUMBING)
	STANTEC CONSULTING (CIVIL)
THEATER PLANNING:	THEATRE PROJECTS CONSULTANTS, INC.
ACOUSTICS:	ARUP ACOUSTICS
LANDSCAPE ARCHITECT:	DESIGN WORKSHOP
LIGHTING DESIGNER:	HORWATH LEES BROGDEN
SIGN/GRAPHICS:	ADAMS MCRIOKA
SAFETY/FIRE:	ROLF JENSEN & ASSOCIATES
COAST:	CHRIS LANGDON ADAMSON
PRELIMINARY PLANNED AREA DEVELOPMENT (PAD)	
TOTAL SITE AREA:	25.021 NET ACRES
TOTAL BUILDING AREA:	165,000 S.F.
TOTAL PARKING REQ.:	678 SPACES
TOTAL PARKING PROV.:	678 SPACES
BICYCLE PARKING REQ.:	130
BICYCLE PARKING PROV.:	130
MIN. LANDSCAPE REQ.:	20.0%
LANDSCAPE PROV.:	80.0%
BUILDING HEIGHT:	100 FEET
FINAL PLANNED AREA DEVELOPMENT (PAD) - PHASE I	
TOTAL SITE AREA:	25.021 NET ACRES
TOTAL BUILDING AREA:	84,028 S.F.
BASEMENT:	2901 S.F.
ORCHESTRA LEVEL:	782 S.F.
FIRST FLOOR:	64,839 S.F.
SECOND FLOOR:	9298 S.F.
THIRD FLOOR:	6538 S.F.
FOURTH FLOOR:	670 S.F.
TOTAL PARKING REQ.:	325 SPACES
TOTAL PARKING PROV.:	325 SPACES
BICYCLE PARKING REQ.:	130
BICYCLE PARKING PROV.:	130
MIN. LANDSCAPE REQ.:	20.0%
LANDSCAPE PROV.:	80.0%
BUILDING HEIGHT:	100 FEET



OWNERSHIP STATEMENT

THIS IS TO CERTIFY THAT WE HAVE REVIEWED THIS PLAN AND HEREBY APPROVE THE DEVELOPMENT AS SHOWN.

BY: JODY ULICH, DEPUTY COMMUNITY SERVICES MANAGER, CITY OF TEMPE

SUBSCRIBED AT: SWORN BEFORE ME THIS 20th DAY OF May 2003

Donna Ryziel



APPROVALS

APPROVED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF TEMPE, ARIZONA ON THIS 3rd DAY OF October, 2003.

BY: Neil M. Stuliano 5/23/03
 MAYOR DATE

ATTEST: Katy Perry 5/23/03
 CITY CLERK DATE

BY: Andy Gode 5/23/03
 CITY ENGINEER DATE

BY: Stephen Vander 5/27/03
 DEVELOPMENT SERVICES DATE

BOOK 641 PAGE 48
 OFFICIAL RECORDS OF
 MARICOPA COUNTY RECORDER
 HELEN PURCELL
 2003--0856240
 07/12/03 09:12 AM



City of Tempe
 31 EAST 5th STREET
 TEMPE, ARIZONA 85283



REC02062
 SPD-2002.57
 DS020999

PRELIMINARY P.A.D. FOR TEMPE CENTER FOR THE ARTS FINAL P.A.D. FOR PHASE I

N.E. Quarter of Sect. 16, Township 1 N., Range 4 E. of the Gila & Salt River Base & Meridian, Maricopa County, Arizona

CONDITIONS OF APPROVAL - SPD-2002.57

The approval is subject to the following conditions:

1. A. The Public Works Department shall approve all roadway, alley, utility easement dedications, driveways, storm water retention, street drainage plans, water and sewer construction drawings, refuse pickup and off-site improvements.
- B. Off-site improvements to bring roadways to current standards include:
 1. Water lines & fire hydrants
 2. Sewer lines
 3. Storm Drains
 4. Roadways improvements including streetlights, curb, gutter, bike-path, sidewalk, bus shelter and related amenities.
- C. Fees to be paid with the development of this project include:
 1. Water and sewer development fees
 2. Water and/or sewer participation charges
 3. Inspection and testing fees.
- D. All applicable off-site plans shall be approved prior to recordation of Final Subdivision Plat.
2. All new and existing as well as on-site and off-site utility lines (other than transmission lines) shall be placed underground prior to the issuance of an occupancy permit for this development in accordance with the City of Tempe Code - Section 25.120
3. No variances may be created by future property lines without the prior approval from the City of Tempe.
4. A building permit shall be obtained and substantial construction commenced on or before October 3, 2004 or the zoning shall revert to that in place at the time of application, subject to a public hearing.
5. A valid building permit shall be obtained and substantial construction commenced on or before October 3, 2003 or the variance shall be deemed null and void.
6. The Preliminary and Final Planned Area Development (PADs) shall be put into the proper engineered format with appropriate signature blanks and recorded on or before October 3, 2003 with the Maricopa County Recorder's office through the City of Tempe's Development Services Department. The Planning Division shall review the details of the document(s) format prior to recordation.
7. The applicant shall comply with all applicable state and federal laws regarding archeological artifacts on this site.

Approved Variance:

1. Wave the required landscape islands at the end of 15 parking spaces along the Northwest side of the parking lot to accommodate busses.

ARCHITEKTON + Barton Myers Associates, Inc.

388 S. MILL AVE., STE. 301
TEMPE, ARIZONA 85283
480 894.4637 T
480 894.4638 F
www.architekton.com

1025 WESTWOOD BOULEVARD
LOS ANGELES, CALIFORNIA 90024
310 208.2227 T
310 208.2207 F
bmyer@architekton.com



City of Tempe
31 EAST 5th STREET
TEMPE, ARIZONA 85283

BOOK 641 PAGE 42
OFFICIAL RECORDS OF
MARICOPA COUNTY RECORDER
HELEN PURCELL
2003-0856740
07/01/2003 1:17 AM
#1122

Handwritten signature
4/21/03



DS020999

SPD-2002.57

REC02062

16N

SHEET 2 OF 4

REC02062


SPD-2002.57

DS020999

FINAL P.A.D. FOR TEMPE CENTER FOR THE ARTS - PHASE I

N.E. Quarter of Sect. 16, Township 1 N., Range 4 E. of the Gila & Salt River Base & Meridian, Maricopa County, Arizona

NOTE:
NO IMPROVEMENTS SHOWN ON THIS DOCUMENT SHALL BE IN CONFLICT WITH CITY OF TEMPE ORDINANCE NO. 808.9312 UNLESS SPECIFICALLY APPROVED BY THE FLOOD CONTROL DISTRICT OF MARICOPA COUNTY. NOR SHALL ANY IMPROVEMENTS ADVERSELY IMPACT THE STRUCTURAL INTEGRITY OF THE FLOOD CONTROL DISTRICT OF MARICOPA COUNTY LEVEE IMPROVEMENTS.



REC02062

SPD-2002.57


DS020999

BOOK 641 PAGE 48
OFFICIAL RECORDS OF
MARICOPA COUNTY RECORDER
HELEN PURCELL
2003-0856240
07/18/2003 08:17 AM
1/2" REBAR

ARCHITEKTON + Barton Myers Associates, Inc.

388 S. MILL AVE., STE. 301
TEMPE, ARIZONA 85283
480 894.4637 T
480 894.4638 F
www.architekton.com

1025 WESTWOOD BOULEVARD
LOS ANGELES, CALIFORNIA 90024
310 208.2227 T
310 208.2207 F
bmyers@caaf.com



City of Tempe
31 EAST 5th STREET
TEMPE, ARIZONA 85283

Handwritten signature and date: 6/16/03



DS020999

SPD-2002.57

REC02062

Handwritten initials: KEN

SHEET 4 OF 4