

## SIGN PACKAGE CRITERIA

|                                   |  |
|-----------------------------------|--|
| <b>DATE</b>                       | 04/17/2017   |
| <b>PROJECT NAME</b>               | Albertson's Plaza  |
| <b>PROJECT ADDRESS</b>            | 6330-6340 South Rural Rd.; & 730-850 E Guadalupe Rd.                                     |
| <b>TYPE</b>                       | Individual internally illuminated pan channel letters                                    |
| <b>ILLUMINATION</b>               | LED or neon  |
| <b>MATERIAL</b>                   | Aluminum   |
| <b>CONSTRUCTION</b>               | Flush mount  |
| <b>LETTER STYLE</b>               | Open   |
| <b>LOGO</b>                       | Restricted to 25% of sign area – DRC policy  |
| <b>COLOR</b>                      | Open face and trim cap color.<br>Returns to match trim cap color                         |
| <b>SIZE RESTRICTION</b>           | Maximum 24" letter height for minor tenants, 60" for major tenants                       |
| <b>INSTALLATION</b>               | Centered. Not to exceed 80% of vertical or horizontal background area                    |
| <b>WINDOW SIGNAGE</b>             | Window signs are restricted to 25% of the individual window in which the sign is located |
| <b>CENTER ID</b>                  |  |
| <b>MAJOR/PAD TENANT VARIATION</b> | Allowed  |
| <b>DELIVERY DOOR SIGNAGE:</b>     |  |