



# SIGN PACKAGE CRITERIA

<b>DATE</b>	08/13/07
<b>PROJECT NAME</b>	Anasazi Office Building
<b>PROJECT ADDRESS</b>	1840 E. Guadalupe Rd.
<b>TYPE</b>	Individual internally illuminated pan channel letters
<b>ILLUMINATION</b>	15 mil double stroke neon or LED
<b>MATERIAL</b>	Aluminum
<b>CONSTRUCTION</b>	5" returns
<b>LETTER STYLE</b>	Open
<b>LOGO</b>	Restricted to 25% of sign area – DRC policy.
<b>COLOR</b>	Open. Trim cap to match face color. Returns shall be bronze.
<b>SIZE RESTRICTION</b>	Maximum sign height shall not exceed 14.5" at the southeast and southwest designated sign envelopes. Maximum sign height shall not exceed 24" at the south center designated sign envelope. Building mounted signage shall be limited to 80% or less of the horizontal and vertical backgrounds.
<b>INSTALLATION</b>	Flush mounted. Each business shall be limited to one sign per building elevation. See building elevations for location details.
<b>WINDOW SIGNAGE</b>	Window signs are restricted to 25% of the individual window in which the sign is located.
<b>CENTER ID</b>	
<b>MAJOR/PAD TENANT VARIATION</b>	
<b>Freestanding Multi-Tenant Signage</b>	Tenant identification on the multi-tenant sign does not require sign permit, however, the following criteria apply: Tenant ID limited to business name and logo only (logo not to exceed 25% of sign copy). Copy shall not exceed 80% of the horizontal and vertical background of tenant panel.






SOUTH CENTER SIGN



SOUTH EAST SIGN



SOUTH WEST SIGN