



## SIGN PACKAGE CRITERIA

<b>DATE</b>	12/07/2010
<b>PROJECT NAME</b>	Centerpoint Buildings F & G
<b>PROJECT ADDRESS</b>	100 W. University Dr.
<b>TYPE</b>	Individual flag mount cabinets
<b>ILLUMINATION</b>	Fluorescent, LEDs, or neon
<b>MATERIAL</b>	Aluminum
<b>CONSTRUCTION</b>	Aluminum cabinet, flag mount; internally illuminated, routed faces with push through letters. Optional methods and designs may be submitted for review and approval.
<b>LETTER STYLE</b>	Open
<b>LOGO</b>	Open: Subject to review and approval by ownership and City of Tempe. Restricted to 25% of sign area – DRC policy.
<b>COLOR</b>	Open
<b>SIZE RESTRICTION</b>	Maximum 16 square feet of area
<b>INSTALLATION</b>	Location: Designated sign envelope on fascia Method: Permanently affixed to fascia as detailed in required stamped engineering drawings using standard mounting brackets or equivalent (see "Typical Install for Flag Mounted Sign" in attached drawing).
<b>WINDOW SIGNAGE</b>	Window signs are restricted to 25% of the individual window in which the sign is located.
<b>CENTER ID</b>	Existing to remain
<b>MAJOR/PAD TENANT VARIATION</b>	Tenant occupying >100,000 sq. Ft. Of leased space may have option of illuminated PC letters; face color open with trim and returns to match face color.
<b>DELIVERY DOOR SIGNAGE</b>	Open



**TYPICAL**



**TYPICAL INSTALL  
FOR FLAG MOUNTED SIGN**